





















15. Moon EJ, Kim SB, Chung JY, et al: Pectoral nerve block (Pecs block) with sedation for breast conserving surgery without general anesthesia. *Ann Surg Treat Res* 2017;93:166-9. doi: 10.4174/ astr.2017.93.3.166.
16. de la Torre PA, Garcia PD, Alvarez SL, et al: A novel ultrasound-guided block: a promising alternative for breast analgesia. *Aesthet Surg J* 2014;34:198-200. doi: 10.1177/1090820X13515902.
17. Huang TT, Parks DH, Lewis SR: Outpatient breast surgery under intercostal block anesthesia. *Plast Reconstr Surg* 1979;63:299-303. doi: 10.1097/00006534-197903000-00001.
18. Lynch EP, Welch KJ, Carabuena JM, et al: Thoracic epidural anesthesia improves outcome after breast surgery. *Ann Surg* 1995;222:663-9. doi: 10.1097/0000658-199511000-00009.
19. Pusch F, Freitag H, Weinstabl C, et al: Single-injection paravertebral block compared to general anaesthesia in breast surgery. *Acta Anaesthesiol Scand* 1999;43:770-4. doi: 10.1034/j.1399-6576.1999.430714.x.
20. Coveney E, Weltz CR, Greengrass R, et al: Use of paravertebral block anesthesia in the surgical management of breast cancer: experience in 156 cases. *Ann Surg* 1998;227:496-501. doi: 10.1097/0000658-199804000-00008.
21. Thavaneswaran P, Rudkin GE, Cooter RD, et al: Brief reports: paravertebral block for anesthesia: a systematic review. *Anesth Analg* 2010;110:1740-4. doi: 10.1213/ANE.0b013e3181da82c8.
22. Naja Z, Lonnqvist PA: Somatic paravertebral nerve blockade. Incidence of failed block and complications. *Anaesthesia* 2001;56:1184-8. doi: 10.1046/j.1365-2044.2001.02084-2.x.
23. Pace MM, Sharma B, Anderson-Dam J, et al: Ultrasound-guided thoracic paravertebral blockade: a retrospective study of the incidence of complications. *Anesth Analg* 2016;122:1186-91. doi: 10.1213/ANE.0000000000001117.
24. Hetta DF, Rezk KM: Pectoralis-serratus interfascial plane block vs thoracic paravertebral block for unilateral radical mastectomy with axillary evacuation. *J Clin Anesth* 2016;34:91-7. doi: 10.1016/j.jclinane.2016.04.003.
25. Kulhari S, Bharti N, Bala I, et al: Efficacy of pectoral nerve block versus thoracic paravertebral block for postoperative analgesia after radical mastectomy: a randomized controlled trial. *Br J Anaesth* 2016;117:382-6. doi: 10.1093/bja/aew223.
26. Walsh M, Devereaux PJ, Garg AX, et al: Relationship between intraoperative mean arterial pressure and clinical outcomes after noncardiac surgery: toward an empirical definition of hypotension. *Anesthesiology* 2013;119:507-15. doi: 10.1097/ALN.0b013e3182a10e26.
27. Desroches J, Belliveau M, Bilodeau C, et al: Pectoral nerves I block is associated with a significant motor blockade with no dermatomal sensory changes: a prospective volunteer randomized-controlled double-blind study. *Can J Anaesth* 2018;65:806-12. doi: 10.1007/s12630-018-1122-2.
28. Brown DL, Ransom DM, Hall JA, et al: Regional anesthesia and local anesthetic-induced systemic toxicity: seizure frequency and accompanying cardiovascular changes. *Anesth Analg* 1995;81:321-8. doi: 10.1097/0000539-199508000-00020.